INTRODUCING OUR NEW CR + CRFV

Plug-in Upright display cabinets with ventilated refrigeration **Coolers and Freezers**







What makes NEW CR + CRFV ideal for you?

We offer a wide range of models for displaying beverages, dairy products, meat, frozen food, and ice cream. Available in three different lengths (1D, 2D, 3D), giving endless possible configurations.

Powerful & sustainable

Energy saving

EMD - For even lower energy consumption, the smart fridge realizes that its doors have been open for more than 3 hours and turn off the lights by itself, and the cooling goes into energy-saving mode. Everything returns to the basic settings when someone opens the door

Compressors: 20% lower consumption, IQ Fan motors: 35% lower consumption, LED lighting: 50% less consumption,

High-quality cooling technology

The refrigeration system is a jewel of Ecological refrigerants and parts, such as high-tech and sustainability: hi-efficiency natural refrigerant R290 (hydrocarbon) hermetic compressors, electronic fan and insulation CFC-HCFC free, protect motors, and maintenance-free the environment by reducing condensers for optimal cooling maintenance intervals. Electronically performance, an automatic defrosting controlled fans and compressors reduce system for perfect display, and a digital energy consumption and help ensure a controller for quick setup with minimal constant product temperature. temperature differentiations in the cabinet.



Sustainability

CR + CRFV

Plug-in Upright **coolers** & **freezers**



- Large facing, high capacity
 Designed to maximize display space, allowing for the best presentation of goods.
- **02** Black lineBlack exterior and interior colorsfollow the latest trends.
- Plug in ready
 CR/CRFV cabinets allow for quick
 and easy installation through their
 plug-in technology.

Basic Equipment

- Hi efficiency compressors 01
- **02** EBD Electronic fan motors
- **03** Digital controller thermometer
- **04** EMD Saving energy mode "CR models"
- **05** Automatic defrost system
- **06** Adjustable shelves
- Price tags 07
- Internal LED lights **08**
- **09** Antidazzle glass doors
- Regulators 10
- Castors 11
- Self-closing doors 12
- Easily removable metal grid 13 Air-cooled maintenance-free condensers 14
- Internal body from non toxic pre-painted steel sheet 15



Optional Equipment

- Branding 01
- Remote Controller 02 export reports to PDF or CSV (Excel).



Possibility of customization with a huge range of color applications on the door profiles, front grid, and sides

The temperature of the device is available on the user's mobile device through the app or email. Additionally, the user has access to the temperature history of the device through this app and can

Technical features

Specification	CR
Installation	plug-in
Climate class	CC2/K2
Energy Efficiency	D
Temperature	+2/+7°C
Refrigerant	R290
Refrigeration	Ventilated
Compressor	Hi efficiency
Defrost	Auto
Opening system	Self closing doors
Lighting	LED
Length	1d 2d 3d
Depth	77 (cm)
Height	206 (cm)



CRFV

plug-in

4L1

D

-14/-24°C

R290

Ventilated

Hi efficiency

Auto

Self closing doors

LED

1d 2d 3d

77 (cm)

206(cm)





plug-in ready



great product display ideal for shops



energy saving



low maintenance



Save money due to reduced energy and maintenance costs.



BEVERAGES



O CRISTAL



Experience our World of Cooling

Contact us to learn more

contact@crystal.gr info@crystal.gr www.crystal.gr +30 2341064639